

Fanvil X1 / X1P

Entry-Level IP Phone

Reliable. Affordable. Full-Featured



Fanvil X1 / X1P is an entry-level, cost-effective professional desktop IP Telephone. Coupled with basic features including 2-lines, 3-party conference function, easy-to-read backlight LCD display, it deftly meets the affordability and reliability requirements of any budget.



2-lines



128X48 LED




3-Way
Conference



PoE



RJ9



Clear Backlight Screen

The generously large 128 × 48 pixel LCD gives a clear 4-line display, enables quick access to more visual information at a glance. With backlight, the screen is easy-to-read even in weak light conditions.

2-Line Operation

You can dial and receive calls through two different SIP lines, which greatly enhance your efficiency and flexibility.



Support 3-Way Conference

3-Way conference enables you to have a teleconference with two other parties, delivering more powerful and flexible session management.




Effortless Configuration

The IP phone features web-based configuration via computer, bringing additional convenience and increasing productivity.

PoE (Power over Ethernet) Integrated

10/100 Mbps with PoE (Fanvil X1P) integrated, free of power cables reduces number of wires on your desk and enables you to install the IP phone with ease.



Compatible with your Platforms

Fanvil IP phones are all compatible with popular platforms such as 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..





Features Overview



2-Line Operation

Coupled with 2 SIP lines, it allows you to dial and receive calls on two different phone lines



PoE (Power over Ethernet) Available

10/100 Mbps with PoE (Fanvil X1P), you only need to connect with the ethernet cable, reducing the number of wires on your desk.



Support 3-Party Conference

Allows you to have a 3-party conversation between you and 2 other parties.



Easily store and dial frequently called numbers.

Allows you to view the name, number, date, time of incoming calls at a glance. Featured with call holding / restoring, call transfer, gives you more convenience.



Supports Headset

Talk "hands free" with a headset (RJ9 port).



Easy Web-based configuration

With web-based configuration, you can configure your Fanvil IP phone with ease.



500 Contacts Directory

Easily store and dial frequently called numbers.



LCD Screen with Backlight

Facilitate access to easy-to-read, 128 x48 resolution, Black & White backlight screen



Compatible with Major Platforms

Compatible with 3CX, Asterisk, Broadsoft, Elastix, Zycoo etc..

Fanvil Technology Co., Ltd

www.fanvil.com

Tel: +86-755-2640-2199

Fax: +86-755-2640-2618

Email: sales@fanvil.com

Add: 4F, Block A, Building 1#, GaoXinQi Hi-Tech Park (Phase-II), 67th District, Bao'An, Shenzhen, China 518101

Technical Data

Mode	X1/X1P
LCD	dot-matrix screen (include backlight)
Resolution ratio	128x48
SIP Line	2
Audio	Low-Bandwidth(G.711a/u/G.723.1/G.726/G.729AB)
Phone book	500 entries
Call Logs	100 entries, In / Out / Missed
Phone Features	Caller ID, DND, Call holding / restoring Auto Answer, Call transfer, 3 way call conference
Color	Black
Network port	10/100 Mbps, Networkx1 / Computer x1
RJ9 port	Handset x1, Headphone x1
Power	Input: 100-240V Output: 5V / 0.6A